

## Wavefront sensing in the X-EUV

### **“Single-shot extreme-ultraviolet wavefront measurements of high-order harmonics”**

*H. Dacasa, H. Coudert-Alteirac, C. Guo, E. Kueny, F. Campi, J. Lahl, J. Peschel, H. Wikmark, B. Major, E. Malm, D. Alj, K. Varjú, C. L. Arnold, G. Dovillaire, P. Johnsson, A. L’Huillier, S. Maclot, P. Rudawski, and P. Zeitoun*

Optics Express 27, 3, 2656 (2019)

<https://doi.org/10.1364/OE.27.002656>

### **“Non-contact XUV metrology of Ru/B<sub>4</sub>C multilayer optics by means of Hartmann wavefront analysis”**

*M. Ruiz-Lopez, H. Dacasa, B. Mahieu, M. Lozano, L. Li, P. Zeitoun, and D. Bleiner*

Applied Optics 57, 6, 1315-20 (2018)

<https://doi.org/10.1364/AO.57.001315>

### **“Developments of EUV/X-ray wavefront sensors and adaptive optics at Imagine Optic”**

*O. de La Rochefoucault, S. Bucourt, D. Cocco, G. Dovillaire, F. Harms, M. Idir, D. Korn, X. Levecq, A. Marmin, L. Nicolas, M. Piponnier, L. Raimondi, P. Zeitoun*

Proc. SPIE 10761, Adaptive X-Ray Optics V, 107610E (2018)

<https://doi.org/10.1117.12.2320927>

### **“Advances in X-Ray optics : From metrology characterization to wavefront sensing-based optimization of active optics”**

*D.Cocco, M. Idir, D. Morton, L. Raimondi, M. Zangrando*

Nuclear Inst. And Methods in Physics Research, A (2018)

<https://doi.org/10.1016/j.nima.2018.03.026>

### **“Hartmann wavefront sensor characterization of a high charge vortex beam in the XUV spectral range”**

*F. Sanson, A. K. Pandey, F. Harms, G. Dovillaire, E. Baynard, J. Demailly, O. Guilbaud, B. Lucas, O. Neveu, M. Pittman, D. Ros, M. Richardson, E. Johnson, W. Li, Ph. Balcou, and S. Kazamias*

Optics Letter Vol.43, issue 12, pp 2780-2783

<https://doi.org/10.1364/OL.43.002780>

### **“Micro-focusing of broadband high-order harmonic radiation by a double toroidal mirror”**

*H. Coudert-Alteirac, H. Dacasa, F. Campi, E. Kueny, B. Farkas, F. Brunner, S. Maclot, B. Manschwetus, H. Wikmark, J Lahl, L. Rading, J. Pesche , B. Major , K. Varjú, G. Dovillaire , P. Zeitoun, P. Johnsson, A. L’Huillier and P. Rudawski*

Applied Sciences 7, 1159 (2017)

<http://www.mdpi.com/2076-3417/7/11/1159>

### **“Optimization and characterization of high-harmonic generation for probing solid density plasmas”**

*J. C. P. Koliyadu, S. Künzel, T. Wodzinski, B. Keitel, J. Duarte, G.O. Williams, C. P. João, H. Pires, V. Hariton, M. Galletti, N. Gomes, G. Figueira, J. Mendanha Dias, N. Lope, P. Zeitoun, E. Plönjes and M. Fajardo*

Photonics 4, 25 (2017)

<http://www.mdpi.com/2304-6732/4/2/25/htm>

### **“Tunable orbital angular momentum in high-harmonic generation”**

*D. Gauthier, P. Rebernik Ribic, G. Adhikary, A. Camper, C. Chappuis, R. Cucini, L.F. DiMauro, G. Dovillaire, F. Frassetto, R. Géneaux, P. Miotti, L. Poletto, B. Resse, C. Spezzan, M. Stupar, T. Ruchon and G. De Ninno*

Nature Communications 8,14971 (2017)

<https://www.nature.com/articles/ncomms14971>

### **“Spatial properties of odd and even low order harmonics generated in gas”**

*G. Lambert, A. Andreev, J. Gautier, L. Giannessi, V. Malka, A. Petralia, S. Sebban, S. Stremoukhov, F. Tissandier, B. Vodungbo and P. Zeitoun*

Scientific Report 5, 7786 (2015)

<https://www.nature.com/articles/srep07786>

### **“Shot-to-shot intensity and wavefront stability of high-harmonic generation”**

*S. Künzel, G. O. Williams, W. Boutu, E. Galtier, B. Barbrel, H. J. Lee, B. Nagler, U. Zastra, G. Dovillaire, R. W. Lee, H. Merdji, Ph. Zeitoun and M. Fajardo*

Applied Optics 54, 4745 (2015)

<https://www.osapublishing.org/ao/abstract.cfm?uri=ao-54-15-4745>

**“Impact of wave front and coherence optimization in coherent diffractive imaging”**

*X. Ge, W. Boutu, D. Gauthier, F. Wang, A. Borta, B. Barbreil, M. Ducouso, A. I. Gonzalez, B. Carré, D. Guillaumet, M. Perdrix, O. Gobert, J. Gautier, G. Lambert, F. R. N. C. Maia, J. Hajdu, P. Zeitoun and H. Merdji,*

Optics Express 21, 11441 (2013)

<https://www.osapublishing.org/oe/abstract.cfm?uri=oe-21-9-11441>

**“Microfocusing of the FERMI@Elettra FEL beam with a K-B active optics system: spot size predictions by application of the WISE code”**

*L. Raimondi, C. Svetina, N. Mahne, D. Cocco, A. Abrami, M. De Marco, C. Fava, S. Gerusina, R. Gobessi, F. Capotondi, E. Pedersoli, M. Kiskinova, G. De Ninno, P. Zeitou, G. Dovillaire, G. Lambert, W. Boutu, H. Merdji, A. I. Gonzalez, D. Gauthier and M. Zangrando*

Nuclear Instruments and Methods in Physics Research 710, 131 (2013)

<http://www.sciencedirect.com/science/article/pii/S0168900212013769>

**“Wavefront improvement in an injection-seeded soft x-ray laser based on a solid-target plasma amplifier”**

*L. Lu, Y. Wang, S. Wang, E. Oliva, L. Yin, T.T. Le, S. Daboussi, D. Ros, G. Maynard, S. Sebban, B. Hu, J. J. Rocca, and P. Zeitoun*

Optics Letters 38, 4011 (2013)

<https://doi.org/10.1364/OL.38.004011>

**“Method of time resolved refractive index measurements of x-ray laser heated solids”**

*G. O. Williams, H.-K. Chung, S. M. Vinko, S. Künze, A. B. Sardinha, P. Zeitoun, and M. Fajardo*

Physics of Plasmas 20, 042701 (2013)

<http://aip.scitation.org/doi/10.1063/1.4794964>

**“Aberration-free high-harmonic source generated with a two-colour field”**

*G. Lambert, F. Tissandier, J. Gautier, C. P. Hauri, P. Zeitoun, C. Valentin, T. Marchenko, J.-P. Goddet, M. Ribièrè, A. Sardinha, M. Fajardo, F. Hamouda, G. Maynard, G. Rey and S. Sebban*

European Physics Letters 89, 24001 (2010)

<http://iopscience.iop.org/article/10.1209/0295-5075/89/24001/meta>

### **“Spatial characterization of SASE-FEL of SCSS Test Accelerator”**

*P. Mercère, R. Bachelard, M.-E. Couprie, M. Idir, O. Chubar, J. Gautier, G. Lambert, P. Zeitoun, S. Bucourt, G. Dovillaire, X. Levecq, H. Kimura, H. Ohashi, T. Hara, A. Higashiya, T. Ishikawa, M. Nagasono and M. Yabashi*

Proceedings of FEL2009, Liverpool, UK, 702 (2009)

<http://www.ifsc.usp.br/~bachelard/ipubli.htm>

### **“Optimization of the wave front of high order harmonics”**

*J. Gautier, P. Zeitoun, C. Hauri, A.-S. Morlens, G. Rey, C. Valentin, E. Papalazarou, J.-P. Goddet, S. Sebban, F. Burgy, P. Mercère, M. Idir, G. Dovillaire, X. Levecq, S. Bucourt, M. Fajardo, H. Merdj and J.-P. Caumes*

The European Physical Journal D, 48, 459 (2008)

<https://link.springer.com/article/10.1140/epjd/e2008-00123-2>

### **“High-order harmonic wave fronts generated with controlled astigmatic IR laser”**

*C. Valentin, J. Gautier, J.-P. Goddet, C. Hauri, T. Marchenko, E. Papalazarou, G. Rey, S. Sebban, O. Scrick, P. Zeitoun, G. Dovillaire, X. Levecq, S. Bucourt and M. Fajardo*

J. Opt. Soc. Am. B, 25, B161 (2008)

<https://www.osapublishing.org/josab/abstract.cfm?uri=josab-25-7-B161>

### **“Automatic alignment of a Kirkpatrick–Baez active optic by use of a soft-x-ray Hartmann wavefront sensor”**

*P. Mercère, M. Idir, T. Moreno, G. Cauchon, G. Dovillaire, X. Levecq, L. Couvel, S. Bucourt and P. Zeitoun*

Optics Letter 31, 199 (2006)

<https://www.osapublishing.org/ol/abstract.cfm?uri=ol-31-2-199>

### **“Wavefront observation at FLASH”**

*M. Kuhlmann, E. Plönjes, K. Tiedtke, S. Toilekis, P. Zeitoun, J. Gautier, T. Lefrou, D. Douillet, P. Mercère, G. Dovillaire, X. Levecq, S. Bucourt and M. Fajardo*

Proceedings of FEL2006, BESSY, Berlin, Germany, 794 (2006)

<https://accelconf.web.cern.ch/accelconf/f06/PAPERS/FRAAU03.PDF>

**"Hartmann wave-front measurement at 13.4 nm with  $\lambda_{\text{EUV}}/120$  accuracy"**

*P. Mercère, P. Zeitoun, M. Idir, S. Le Pape, D. Douillet, X. Levecq, G. Dovillaire, S. Bucourt, K. A. Goldberg, P. P. Naulleau and S. Rekawa*

Optics Letters 28, 1534 (2003)

<https://www.osapublishing.org/ol/abstract.cfm?uri=ol-28-17-1534>

**X-ray mirror metrology with the HASO**

**"A 2 D high accuracy slope measuring system based on a stitching Shack Hartmann optical head"**

*M. Idir, K. Kaznatcheev, G. Dovillaire, J. Legrand, and R. Rungsawang*

Optics Express 22, 2770 (2014)

<https://www.osapublishing.org/oe/abstract.cfm?uri=oe-22-3-2770>

**"Ex- and in-situ metrology based on the Shack-Hartmann technique for sub-nanometric metrology"**

*M. Idir, G. Dovillaire and P. Mercere*

Synchrotron Radiation News 26, 23 (2013)

<http://www.tandfonline.com/doi/abs/10.1080/08940886.2013.832587>

**"A 2D optical slope measuring tool for x-ray mirrors "**

*M. Idir and G. Dovillaire*

SPIE Newsroom (2013).

<https://doi.org/10.1117/2.1201310.005171>

**"Hartmann and Shack–Hartmann wavefront sensors for sub-nanometric M metrology"**

*P. Mercère, M, Idir, J. Floriot and X. Levecq*

Modern Developments in X-Ray and Neutron Optics pp 219-232 (2008).

[https://link.springer.com/chapter/10.1007/978-3-540-74561-7\\_15](https://link.springer.com/chapter/10.1007/978-3-540-74561-7_15)

## **ILAO for X-ray source**

### **“Optics-less focusing of XUV high-order harmonics”**

*L. Quintard, V. Strelkov, J. Vabek, O. Hort, A. Dubrouil, D. Descamps, F. Burgy, C. Péjot, E. Mével, F. Catoire, E. Constant*  
Sci. Adv. 5, eaau7175 (2019).

<https://doi.org/10.1126/sciadv.aau7175>

### **“Efficient picosecond x-ray pulse generation from plasmas in the radiation dominated regime”**

*R. Hollinger, C. Bargsten, V. Shlyaptsez, V. Kaymak, A. Pukhov, M. G. Capeluto, S. Wang, A. Rockwood, Y. Wang, A. Townsend, A. Prieto, P. Stockton, A. Curtis, J. J. Rocca*  
Optica, 4, 11, 1344-49 (2017)

<https://doi.org/10.1364/OPTICA.4.001344>

### **“The compact x-ray source ThomX”**

*P. Favier, L. Amoudry, K. Cassou, K. Dupraz, A. Martens, H. Monard and F. Zomer*  
Proc. SPIE Vol. 10387, 1038708 (2017)

<https://doi.org/10.1117/12.2280921>